

Australian Product Guide
Geopress K With Smart Connect™





CONTENTS

5

Elbows and T-pieces

6

Adapter Pieces / Adapter Elbows

8

Couplings and Reductions

9

Caps, Tapping Valves for Drinking Water

11

Tapping Valves for Gas

13

Accessories

14

System Press Tools



- Water
- Gas
- Gas and Water

ELBOWS



**Geopress K elbow 90°
With Smart Connect™**
- Plastic
- Press connectors
Model 9716

	d	article
●	25	710873
●	32	710880
●	40	710897
●	50	710903
●	63	710910



**Geopress K elbow 45°
With Smart Connect™**
- Plastic
- Press connectors
Model 9726

	d	article
●	32	711092
●	40	711108
●	50	711115
●	63	711122

T-PIECES



Geopress K T-piece
- Plastic
- Press connectors
Model 9718

	d1	d2	d3	article
●	25	25	25	711269
●	32	32	32	711276
●	40	40	40	711283
●	50	50	50	711290
●	63	63	63	711306



**Geopress K T-piece
With Smart Connect™**
- Plastic
- Bronze threaded connection
- Press connectors, threaded
Model 9717.1

	d1	R	Rp	d2	article
●	32	1	3/4	32	711313
●	40	1 1/4	1	40	711320
●	50		1 1/4	50	711337
●	50	1 1/2		50	711344
●	63	2	1 1/2	63	711351

ADAPTER PIECES / ADAPTER ELBOWS



Geopress K adapter With Smart Connect™
 - Plastic
 - Bronze threaded connection
 - Press connection, R-thread
Model 9711

	d	R	article
●	25	3/4	710217
●	32	3/4	710224
●	32	1	710231
●	32	1 1/4	710248
●	32	1 1/2	710255
●	40	1	710262
●	40	1 1/4	710279
●	40	1 1/2	710286
●	50	1	710293
●	50	1 1/4	710309
●	50	1 1/2	710316
●	63	1 1/2	710323
●	63	2	710330



Geopress K adapter With Smart Connect™
 - Plastic
 - Bronze threaded connection
 - Press connection, R-thread
Model 9712

	d	R	article
●	25	3/4	710347
●	32	1	710354
●	40	1 1/4	710361
●	50	1 1/4	710378
●	50	1 1/2	710385
●	63	2	710392

ADAPTER PIECES / ADAPTER ELBOWS



Geopress K adapter elbow 90° With Smart Connect™
 - Plastic
 - Bronze threaded connection
 - Press connection, R-thread
Model 9714

	d	R	article
●	25	3/4	710927
●	32	3/4	710934
●	32	1	710941
●	32	1 1/2	710958
●	40	1	710965
●	40	1 1/4	710972
●	40	1 1/2	710989
●	50	1	710996
●	50	1 1/4	711009
●	50	1 1/2	711016
●	63	1 1/2	711023
●	63	2	711030



Geopress K adapter elbow 90° With Smart Connect™
 - Plastic
 - Bronze threaded connection
 - Press connection, Rp-thread
Model 9714.2

	d	Rp	article
●	32	1	711047
●	40	1	711054
●	40	1 1/4	711061
●	50	1 1/2	711078
●	63	2	711085



Geopress K adapter elbow 45° With Smart Connect™
 - Plastic
 - Bronze threaded connection
 - Press connection, R-thread
Model 9726.2

	d	R	article
●	32	1	711139
●	40	1 1/4	711146
●	50	1 1/2	711153
●	63	2	711160

ADAPTER PIECES / ADAPTER ELBOWS


**Geopress K adapter elbow
With Smart Connect™**

- Plastic
- Bronze threaded connection
- Press connection, R-thread
- Rotatable through 360°

Components

EPDM sealing element

Note

Only water use!

Model 9720.1TW

	d	R	article
●	32	1 1/2	768263
●	40	1 1/2	768270
●	50	1 1/2	768287
●	63	1 1/2	768294

COUPLINGS


**Geopress K coupling
With Smart Connect™**

- Plastic
- Press connectors

Model 9715

	d	article
●	25	710057
●	32	710064
●	40	710071
●	50	710088
●	63	710101


**Geopress K repair coupling
With Smart Connect™**

- Plastic
- Press connectors
- Long insertion depth for PE pipe

Model 9715.5

	d	article
●	32	710118
●	40	710125
●	50	710132
●	63	710149

REDUCTIONS


**Geopress K reducing coupling
With Smart Connect™**

- Plastic
- Press connectors

Model 9715.2

	d1	d2	article
●	32	25	710156
●	40	32	710163
●	50	32	710170
●	50	40	710187
●	63	32	710194
●	63	40	710200
●	63	50	710507

CAPS


**Geopress K cap
With Smart Connect™**

- Plastic
- Press connection

Model 9756

	d	article
●	25	710699
●	32	710705
●	40	710712
●	50	710729
●	63	710736

TAPPING VALVES FOR DRINKING WATER

**Geopress tapping valve**

- For water applications with PE-HD pipe in accordance with AS4130.
- Polyamid-GF, gunmetal
- Outlet for Geopress K
- With operation shut-off

Components

Integrated milling cutter, outlet for Geopress K models 9793, 9794, 9794.1

Tested in accordance with WSAA (Water Services Association of Australia) AS4129, AS4020

Model 9690TW

	for d	article
●	63	772437
●	90	772444
●	110	772451
●	125	772468
●	140	772475
●	160	772482
●	180	772499
●	200	772505


**Geopress K connection piece
With Smart Connect™**

- Suitable for Geopress tapping valve model 9690TW
- Plastic
- Metal adapter
- Press connection, Viega tapping valve connection

Components

Double O-ring seal EPDM

Note

Only water use!

Model 9793TW

	d	article
●	32	768140
●	40	768157
●	50	768164
●	63	768171

TAPPING VALVES FOR DRINKING WATER



Geopress K connection elbow 90°
With Smart Connect™
 - Suitable for Geopress K tapping valve model 9690TW
 - Plastic
 - Metal adapter
 - Press connection, Viega tapping valve connection
Components
 Double O-ring seal EDPM
Note
 Only for water application.
Model 9794TW

	d	article
●	32	768188
●	40	767495
●	50	767501
●	63	767518



Geopress K connection elbow 45°
With Smart Connect™
 - Suitable for Geopress K tapping valve model 9690TW
 - Plastic
 - Metal adapter
 - Press connection, Viega tapping valve connection
Components
 Double O-ring seal EDPM
Note
 Only for water application.
Model 9794.1TW

	d	article
●	32	767525
●	40	767532
●	50	767549
●	63	768256



Geopress telescopic stem extension
 - Suitable for Geopress G tapping valve model 9690G, Geopress tapping valve model 9690TW
 - Galvanised steel
 - Continuously adjustable
Components
 Protective pipe for improved telescoping and higher stability
Model 9696

	PC [m]	article
●	0.71 - 1.00	668204
●	1.00 - 1.50	650681
●	1.25 - 1.80	648763
●	1.5 - 2.00	648770

TAPPING VALVES FOR DRINKING WATER



Scraper ring
 - For use of telescopic stem extension other manufacturers to seal the pipe sleeve against dirt
 - Suitable for Geopress G tapping valve model 9690G, Geopress tapping valve model 9690TW
 - Rubber
Model 9696.2

article
717919

TAPPING VALVES FOR GAS



Geopress G tapping valve
 - For gas application with PE-HD pipe in accordance with AS4130
 - Polyamid-GF, gunmetal
 - Outlet for Geopress K
 - With operation shut-off
Components
 NBR sealing element, integrated milling cutter tested in accordance with DVGW VP 304 In accordance with WSAA (Water Services Association Australia) And AGA (Australian Gas Association) AGA TBC.
Model 9690G

	for d	wOSO	article
●	63	✓	772529
●	90	✓	772536
●	110	✓	772543
●	125	✓	772550
●	140	✓	772567
●	160	✓	772574
●	180	✓	772581
●	200	✓	772598

TAPPING VALVES FOR GAS


**Geopress K connection piece
With Smart Connect™**

- Suitable for Geopress G tapping valve model 9690G
- Plastic
- Metal adapter
- Press connection, Viega tapping valve connection

Components

Double O-ring seal NBR

Note

Only for gas application.

Model 9793G

d	article
32	768416
40	768423
50	768430
63	768447


**Geopress K connection
elbow 90°**
With Smart Connect™

- Suitable for Geopress G tapping valve model 9690G
- Plastic
- Metal adapter
- Press connection, Viega tapping valve connection

Components

Double O-ring seal NBR

Note

Only for gas application.

Model 9794G

d	article
32	768454
40	768461
50	768478
63	768485


**Geopress K connection
elbow 45°**
With Smart Connect™

- Suitable for Geopress G tapping valve model 9690G
- Plastic
- Metal adapter
- Press connection, Viega tapping valve connection

- Suitable for Geopress G tapping valve model 9690G

Components

Double O-ring seal NBR

Note

Only for gas application.

Model 9794.1G

d	article
32	768492
40	768515
50	768522
63	768539

TAPPING VALVES FOR GAS


**Geopress telescopic stem
extension**

- Suitable for Geopress G tapping valve model 9690G, Geopress tapping valve model 9690TW
- Galvanised steel
- Continuously adjustable

Components

Protective pipe for improved telescoping and higher stability

Model 9696

PC [m]	article
0.71 - 1.00	668204
1.00 - 1.50	650681
1.25 - 1.80	648763
1.5 - 2.00	648770


Scraper ring

- For use of telescopic stem extension other manufacturers to seal the pipe sleeve against dirt
- Suitable for Geopress G tapping valve model 9690G, Geopress tapping valve model 9690TW
- Rubber

Model 9696.2

article

717919

ACCESSORIES


Geopress clamping ring

- Suitable for Geopress G tapping valve model 9690G

Model 9697

article

692223

SYSTEM PRESS TOOLS



Pressgun 5 press machine
With rechargeable battery, without press jaws

Components
 Latest lithium ions battery technology (18 V/2,0 Ah), battery charger 230 V/18 V, patented safety mechanism, automatic maintenance display, LED lamp for lighting of press position, case.

Model 0798.5

for d	article
25 - 63	723057



Press ring set
PT2

For Geopress K

- Recommended Press Machines are; PT3, 4B, Pressgun 5
- Equipped with press ring P T2 article 711 467, 711 474, 711 481, 711 498
- Phosphatised steel

Latest lithium ions battery technology (18 V/2,0 Ah), battery charger 230 V/18 V, patented safety mechanism, automatic maintenance display, LED lamp for lighting of press position, case.

Components

Suitcase with place holder for press ring d25 and articulated tension jaw Z2

Note

Work in the ground should be carried out using the adapted battery-powered press machine!

Model 9796.7

for d	article
32 - 63	711511



Press ring
PT2

For Geopress K

- Suitable for hinged adapter jaw P T2 article 472 740
- Phosphatised steel

Model 9796.1

HPJ	for d	article
Z2	25	711450
Z2	32	711467
Z2	40	711474
Z2	50	711481
Z2	63	711498

SYSTEM PRESS TOOLS



Press ring drive
PT2

For Geopress K

- Recommended for press machines type 2 (PT2), PT3-H, PT3-AH, PT3-EH and Pressgun 4E, 4B and 5
- Suitable for press ring P T2 model 9796.1
- Phosphatised steel

Components

Allows pressings in tight installation situations in which the distance to the wall must be as small as possible.

Work in the ground should be carried out using the adapted battery-powered press machine.

Model 9796.2

for d	article
25 - 63	761004



Hinged adapter jaw
PT2

For Viega system press rings

- Pinching jaw Z2 to suit Geopress K 25-63mm & Viega Pressgun 5/4B/PT3
- Phosphatised steel

Note

Work in the ground should be carried out using the adapted battery-powered press machine.

Model 0796.2

type	PCMPS	article
Z2	25 - 63mm	673017



Geopress hand press tool

- For pressing by hand, tight installation situations, all sizes
- Suitable for Geopress G tapping valve model 9690G, Geopress tapping valve model 9690TW

Model 9695.5

article
592790

Viega Pty Ltd
PO Box 141
North Ryde BC NSW 1670

Technical Support
Telephone: 1800 484 342

support@viega.com.au
www.viega.com.au

All enquiries please call
Glenn Lewindon
glenn.lewindon@viega.com.au
0431 792 619

